

Message

---

**From:** Bahrman, Sarah [/O=EXCHANGELABS/OU=EXCHANGE ADMINISTRATIVE GROUP (FYDIBOHF23SPDLT)/CN=RECIPIENTS/CN=1D493CF492ED4FC0BE275A699826A64C-BAHRMAN, SARAH]  
**Sent:** 10/20/2017 6:57:35 PM  
**To:** O'Connor, Darcy [oconnor.darcy@epa.gov]  
**CC:** Minter, Douglas [Minter.Douglas@epa.gov]; Shea, Valois [Shea.Valois@epa.gov]; Lucita Chin (Chin.Lucita@epa.gov) [Chin.Lucita@epa.gov]  
**Subject:** Dewey Burdock briefing paper  
**Attachments:** BriefingDewey-Burdock-Oct2017-v2\_vs.docx

Hi Darcy –

Here's the draft briefing DB briefing paper for Monday. This includes a couple of new bullets under the Class III section that explain the Class III permit requirements.

Please let us know if you have any comments/questions as you review.

Thanks,  
Sarah

Sarah E. Bahrman | Director, Safe Drinking Water Program | U.S. Environmental Protection Agency - Region 8  
(p) 303.312.6243 | (c) 303.903.8515 | (f) 877.876.9101